

Jindal Stainless Steel Pipe Price List :



304 STAINLESS STEEL PIPE ERW (WELDED PIPES) DIMENSION AND PRICE LIST

AS PER ASTM & WEIGHT-KG. / Meter. (ANSI B36.19) (JINDAL MAKE)

Nominal Bore		Outside Diameter	Sch-5S		Rates	Sch-10S		Rates	Sch-40S		Rates
mm	INCH	mm	Wt mm	Weight (Kg/mt)	Rs/Kg	Wt mm	Weight (Kg/mt)	Rs/Kg	Wt mm	Weight (Kg/mt)	Rs/Kg
3	1/8	10.3	1.24	0.276	267.500	1.24	0.28	235.40	1.73	0.37	245.40
6	1/4	13.7	1.24	0.390	267.500	1.65	0.49	235.40	2.24	0.631	245.40
10	3/8	17.1	1.24	0.490	224.700	1.65	0.63	235.40	2.31	0.845	245.40
15	1/2	21.3	1.65	0.800	214.000	2.11	1.00	214.00	2.77	1.27	213.30

20	3/4	26.7	1.65	1.03	203.30	2.11	1.28	203.30	2.87	1.68	202.60
25	1	33.4	1.65	1.30	203.30	2.77	2.09	197.95	3.38	2.50	207.95
32	1 1/4	42.2	1.65	1.65	203.30	2.77	2.70	197.95	3.56	3.38	207.95
40	1 1/2	48.3	1.65	1.91	203.30	2.77	3.11	197.95	3.68	4.05	207.95
50	2	60.3	1.65	2.40	203.30	2.77	3.93	197.95	3.91	5.44	207.95
65	2 1/2	73.0	2.11	3.69	203.30	3.05	5.26	197.95	5.16	8.63	207.95
80	3	88.9	2.11	4.51	203.30	3.05	6.45	197.95	5.49	11.30	207.95
100	4	114.3	2.11	5.84	203.30	3.05	8.36	197.95	6.02	16.07	207.95
125	5	141.3	2.77	9.47	214.00	3.40	11.57	203.30	6.55	21.8	213.30
150	6	168.3	2.77	11.32	219.35	3.40	13.84	214.00	7.11	28.3	218.65
200	8	219.1	2.77	14.79	219.35	3.76	19.96	214.00	8.18	42.6	218.65
250	10	273.1	3.40	22.63	235.40	4.19	27.78	214.00	9.27	60.5	218.65
300	12	323.9	3.96	31.25	235.40	4.57	36.00	224.70	9.52	73.88	218.65
350	14	355.6	3.96	34.36	235.40	4.78	41.3	230.05	11.13	94.59	218.65
400	16	406.4	4.19	41.56	235.40	4.78	47.29	230.05	12.7	123.30	224.00
450	18	457.2	4.19	46.80	235.40	4.78	53.42	230.05	14.27	155.80	224.00
500	20	508.0	4.78	59.25	235.40	5.54	68.71	230.05	15.09	183.42	224.00
600	24	609.6	5.54	82.47	235.40	6.35	94.45	235.40	17.48	255.41	224.00

Buy cut to size SS Pipe, check round and square stainless steel pipe price per meter in India to avoid wastage, buy Jindal make 202/ 304/ 304L/ 316/ 316L stainless steel pipe at dealer price in Mumbai.

(Jindal Make) Stainless Steel Pipe Price Range

Nominal Bore		Outside Diameter	Sch-5S		Rates	Sch-10S		Rates	Sch-40S		Rates
mm	INCH	mm	Wt mm	Weight (Kg/mt)	Rs/Kg	Wt mm	Weight (Kg/mt)	Rs/Kg	Wt mm	Weight (Kg/mt)	Rs/Kg
3	1/8	10.3	1.24	0.276	267.500	1.24	0.28	235.40	1.73	0.37	235.40
6	1/4	13.7	1.24	0.390	267.500	1.65	0.49	235.40	2.24	0.631	235.40
10	3/8	17.1	1.24	0.490	224.700	1.65	0.63	235.40	2.31	0.845	235.40
15	1/2	21.3	1.65	0.800	214.000	2.11	1.00	214.00	2.77	1.27	203.30
20	3/4	26.7	1.65	1.03	203.30	2.11	1.28	203.30	2.87	1.68	192.60

25	1	33.4	1.65	1.30	203.30	2.77	2.09	197.95	3.38	2.50	197.95
32	1 1/4	42.2	1.65	1.65	203.30	2.77	2.70	197.95	3.56	3.38	197.95
40	1 1/2	48.3	1.65	1.91	203.30	2.77	3.11	197.95	3.68	4.05	197.95
50	2	60.3	1.65	2.40	203.30	2.77	3.93	197.95	3.91	5.44	197.95
65	2 1/2	73.0	2.11	3.69	203.30	3.05	5.26	197.95	5.16	8.63	197.95
80	3	88.9	2.11	4.51	203.30	3.05	6.45	197.95	5.49	11.30	197.95
100	4	114.3	2.11	5.84	203.30	3.05	8.36	197.95	6.02	16.07	197.95
125	5	141.3	2.77	9.47	214.00	3.40	11.57	203.30	6.55	21.8	203.30
150	6	168.3	2.77	11.32	219.35	3.40	13.84	214.00	7.11	28.3	208.65
200	8	219.1	2.77	14.79	219.35	3.76	19.96	214.00	8.18	42.6	208.65
250	10	273.1	3.40	22.63	235.40	4.19	27.78	214.00	9.27	60.5	208.65
300	12	323.9	3.96	31.25	235.40	4.57	36.00	224.70	9.52	73.88	208.65
350	14	355.6	3.96	34.36	235.40	4.78	41.3	230.05	11.13	94.59	208.65
400	16	406.4	4.19	41.56	235.40	4.78	47.29	230.05	12.7	123.30	214.00
450	18	457.2	4.19	46.80	235.40	4.78	53.42	230.05	14.27	155.80	214.00
500	20	508.0	4.78	59.25	235.40	5.54	68.71	230.05	15.09	183.42	214.00
600	24	609.6	5.54	82.47	235.40	6.35	94.45	235.40	17.48	255.41	214.00

Jindal Stainless Steel Pipe Sizes

Simplex Steels is a stocking distributor and Jindal stainless steel pipe dealers in Mumbai, India. Check the available sizes.

Stainless Steel ASTM A312 304 Pipe Sizes

NB (MM)	SIZE OD (MM)	THICKNESS (MM)	SCHEDULE		UNIT WT (KG/MTR)	PRICE LIST IN INR (Rs/MTR)	ERW PIPE PRICE (\$/MTR)
15	21.30	2.11	1/2"	SCH.10S	1.02	231.54	\$ 3.32
	21.30	2.77	1/2"	SCH.40S	1.29	292.83	\$ 4.20

20	26.70	2.11	3/4"	SCH.10S	1.30	295.10	\$ 4.23
	26.70	2.87	3/4"	SCH.40S	1.71	388.17	\$ 5.57
25	33.40	2.77	1"	SCH.10S	2.12	481.24	\$ 6.91
	33.40	3.38	1"	SCH.40S	2.54	576.58	\$ 8.27
32	42.20	2.77	1.1/4"	SCH.10S	2.73	619.71	\$ 8.89
	42.20	3.56	1.1/4"	SCH.40S	3.44	780.88	\$ 11.21
40	48.30	2.77	1.1/2"	SCH.10S	3.16	717.32	\$ 10.29
	48.30	3.68	1.1/2"	SCH.40S	4.11	932.97	\$ 13.39
50	60.30	2.77	2"	SCH.10S	3.99	905.73	\$ 13.00
	60.30	3.91	2"	SCH.40S	5.52	1253.04	\$ 17.98
65	73.00	3.05	2.1/2"	SCH.10S	5.34	1212.18	\$ 17.40
	73.00	5.16	2.1/2"	SCH.40S	8.76	1988.52	\$ 28.54
80	88.90	3.05	3"	SCH.10S	6.55	1486.85	\$ 21.34
	88.90	5.49	3"	SCH.40S	11.45	2599.15	\$ 37.30
100	114.30	3.05	4"	SCH.10S	8.48	1924.96	\$ 27.62
	114.30	6.02	4"	SCH.40S	16.32	3704.64	\$ 53.16
125	141.30	3.40	5"	SCH.10S	11.74	2664.98	\$ 38.24

	141.30	6.55	5"	SCH.40S	22.09	5014.43	\$ 71.96
150	168.30	3.40	6"	SCH.10S	14.03	3184.81	\$ 45.70
	168.30	7.11	6"	SCH.40S	28.69	6512.63	\$ 93.46
200	219.10	3.76	8"	SCH.10S	20.27	4601.29	\$ 66.03
	219.10	8.18	8"	SCH.40S	43.18	9801.86	\$ 140.66

Jindal Stainless Steel Pipe Sizes

millimeter	0.65	0.80	0.90	0.95	1.00	1.20	1.50	2.00	2.50	
12.5 x 12.5	0.075	0.091	0.102	0.107	0.112	0.133	0.163			
20 x 20				0.176	0.184	0.220	0.271	0.354	0.433	0.508
25 x 25				0.221	0.232	0.277	0.343	0.450	0.553	0.652
30 x 30				0.267	0.280	0.335	0.415	0.516	0.673	0.796
38 x 38				0.340	0.358	0.427	0.531	0.700	0.866	1.027
40 x 40				0.358	0.376	0.450	0.559	0.738	0.898	1.084
50 x 50					0.473	0.565	0.703	0.930	1.153	1.372

316L Stainless Steel Pipe Price :

(316) Stainless Steel Welded Pipes & Tubes

SIZE"	SIZE NB	SCH 5	SCH 10	SCH 20	SCH 30	SCH 40	SCH 60	SCH 80	SCH 100	SCH 120	SCH 140	SCH 160	SCH XXS
1/2	15	6820	6820		6,820.00	6,820.00		6,820.00				7,320.00	7,820.00
3/4	20	6820	6820		6,820.00	6,820.00		6,820.00				7,320.00	7,820.00
1	25	6060	6060		6,060.00	6,060.00		6,060.00				6,520.00	7,020.00
1.25	32	6060	6060		6,060.00	6,060.00		6,060.00				6,520.00	7,020.00
1.5	40	6060	6060		6,060.00	6,060.00		6,060.00				6,520.00	7,020.00
2	50	6060	6060		6,060.00	6,060.00		6,060.00				6,520.00	7,020.00
2.5	65	6060	6060		6,060.00	6,060.00		6,060.00				6,520.00	7,020.00
3	80	6060	6060		6,060.00	6,060.00		6,060.00				6,520.00	7,020.00
3.5	90	7000	6060		6,060.00	6,060.00		6,060.00				6,520.00	7,020.00
4	100	7000	6060		6,060.00	6,060.00		6,060.00		6,520.00		6,520.00	7,020.00
5	125	7000	6060			6,060.00		6,060.00		6,520.00		6,520.00	7,020.00
6	150	7000	6060			6,060.00		6,060.00		6,520.00		6,520.00	7,020.00
8	200		6820	6,820.00	6,820.00	6,820.00	7200	6,820.00	7,620.00	7,620.00	8,220.00	8,220.00	9,020.00
10	250		6820	6,820.00	6,820.00	6,820.00	7200	6,820.00	7,620.00	7,620.00	8,220.00	8,220.00	9,020.00
12	300		8330	8,330.00	8,330.00	8,330.00	9,220.00	8,330.00	9,720.00	9,720.00	10,520.00	10,520.00	12,020.00
14	350		8330	8,330.00	8,330.00	8,330.00	9,220.00	8,330.00	9,720.00	9,720.00	10,520.00	10,520.00	
16	400			8,330.00	8,330.00	8,330.00	9,220.00	8,330.00	9,720.00	9,720.00	10,520.00	10,520.00	
Above Prices are \$/Ton													
Minimum Order Quantity 10 Ton per size.													

RATES OF S.S. PIPES 316Q / METER

MM INCH	SCH 5	SCH 10	SCH 40
15 1/2"	230	297	371
20 3/4"	302	374	470
25 1"	352	555	665
32 1.1/4"	491	738	866
40 1.1/2"	542	851	1050
50 2"	680	1071	1450
65 2.1/2"	995	1547	2451

80 3"	1153	1875	3110
100 4"	1490	2390	4150
125 5"	2750	3298	5980
150 6"	3110	4081	7439
200 8"	4496	5805	11520
250 10"	6800	8495	16196
300 12"	9041	10473	20410
350 14"	10940	14960	23910
400 16"	12002	18310	31101
450 18"	13802	20682	38745

ASTM A312 TP304 STAINLESS STEEL PIPE SEAMLESS PIPE DIMENSIONS AND PRICE LIST

AS PER ASTM & WEIGHT-KG. PER MTR. (ANSI B36.19)(JINDAL MAKE)

Nominal Bore		Outside Diameter	Sch-5S		Rates	Sch-10S		Sch-40S		Rates	Sch-80S			Sch-160S		Sch-XXS	
mm	INCH	mm	Wt mm	Weight (Kg/mt)	Rs/Kg	Wt mm	Weight (Kg/mt)	Wt mm	Weight (Kg/mt)	Rs/Kg	Wt mm	Weight (Kg/mt)	Rs/Kg	Wt mm	Weight (Kg/mt)	Wt mm	Weight (Kg/mt)
3	1/8	10.3	1.24	0.276	#####	1.24	0.28	1.73	0.37	424.00	2.41	0.47	530.00	-	-	-	-
6	1/4	13.7	1.24	0.390	#####	1.65	0.49	2.24	0.631	#####	3.02	0.80	530.00	-	-	-	-
10	3/8	17.1	1.24	0.490	#####	1.65	0.63	2.31	0.845	#####	3.20	1.10	530.00	-	-	-	-
15	1/2	21.3	1.65	0.800	#####	2.11	1.00	2.77	1.27	302.10	3.75	1.62	307.40	4.75	1.94	7.47	2.55
20	3/4	26.7	1.65	1.03	#####	2.11	1.28	2.87	1.68	302.10	3.91	2.20	307.40	5.54	2.89	7.82	3.63
25	1	33.4	1.65	1.30	#####	2.77	2.09	3.38	2.50	259.70	4.55	3.24	275.60	6.35	4.24	9.09	5.45
32	1 1/4	42.2	1.65	1.65	#####	2.77	2.70	3.56	3.38	249.10	4.85	4.47	275.60	6.35	5.61	9.70	7.77
40	1 1/2	48.3	1.65	1.91	#####	2.77	3.11	3.68	4.05	249.10	5.08	5.41	254.40	7.14	7.25	10.16	9.54
50	2	60.3	1.65	2.40	#####	2.77	3.93	3.91	5.44	249.10	5.54	7.48	275.60	8.74	11.1	11.07	13.44
65	2 1/2	73.0	2.11	3.69	#####	3.05	5.26	5.16	8.63	249.10	7.01	11.4	275.6	9.53	14.9	14.2	20.39
80	3	88.9	2.11	4.51	#####	3.05	6.45	5.49	11.30	249.10	7.62	15.2	275.6	11.1	21.3	15.24	27.65
100	4	114.3	2.11	5.84	#####	3.05	8.36	6.02	16.07	249.10	8.56	22.3	275.6	13.49	33.54	17.12	41.03
125	5	141.3	2.77	9.47	#####	3.40	11.57	6.55	21.8	254.4	9.53	31.97	307.40	15.88	49.11	19.05	57.43
150	6	168.3	2.77	11.32	#####	3.40	13.84	7.11	28.3	286.2	10.97	42.7	307.4	18.2	67.56	21.95	79.22
200	8	219.1	2.77	14.79	#####	3.76	19.96	8.18	42.6	307.4	12.7	64.6	307.4	23.0	111.2	22.23	107.8
250	10	273.1	3.40	22.63	#####	4.19	27.78	9.27	60.5	323.3	12.7	96.0	328.6	28.6	172.4	25.40	155.15
300	12	323.9	3.96	31.25	#####	4.57	36.00	9.52	73.88	323.30	12.7	132.0	328.6	33.32	238.76	25.40	186.97
350	14	355.6	3.96	34.36	349.8	4.78	41.3	11.13	94.59	344.50	19.05	158.08	328.60	35.71	281.70	-	-

400	16	406.4	4.19	41.56		4.78	47.29	12.7	123.30		21.41	203.33		40.46	365.11	-	-
450	18	457.2	4.19	46.80		4.78	53.42	14.27	155.80		23.8	254.36		45.71	466.40	-	-
500	20	508.0	4.78	59.25		5.54	68.71	15.09	183.42		26.19	311.2		49.99	564.68	-	-
600	24	609.6	5.54	82.47		6.35	94.45	17.48	255.41		30.96	442.08		59.54	808.22	-	-

Buy directly from Jindal stainless steel pipes distributors for the best price and maximum size range.
View weight chart.

Stainless Pipe Weight Per Meter :

Designation of Diameter		O/D	Nominal Wall Thickness																	
		DIA	SCH.5S		SCH.5		SCH 10S		SCH.10		SCH.20S		SCH.30		SCH.40S		SCH.40		SCH 60	
(A)	(B)	Meter MM	Wall Thk	WT Kg/Mtr	Wall Thk	WT Kg/Mtr	Wall Thk	WT Kg/Mtr	Wall Thk	WT Kg/Mtr	Wall Thk	WT Kg/Mtr	Wall Thk	WT Kg/Mtr	Wall Thk	WT Kg/Mtr	Wall Thk	WT Kg/Mtr	Wall Thk	WT Kg/Mtr
6	1/8	10.3	1	0.23			1.2	0.27			1.5	0.33			1.73	0.37				
8	1/4	13.7	1.2	0.37			1.65	0.49			2	0.58			2.24	0.64				
10	3/8	17.2	1.2	0.47			1.65	0.63			2	0.74			2.31	0.87				
15	1/2	21.3	1.65	0.01	1.65	0.81	2.11	1.02	2.11	1.02	2.5	1.15			2.77	1.29				
20	3/4	26.7	1.65	1.03	1.65	1.03	2.11	1.3	2.11	1.3	2.5	1.49			2.87	1.71				
25	1	33.4	1.65	1.31	1.65	1.31	2.77	2.13	2.77	2.13	3	2.24			3.38	2.54				
32	1 1/4	24.2	1.65	1.67	1.65	1.67	2.77	2.73	2.77	2.73	3	2.9			3.56	3.44				
40	1 1/2	48.3	1.65	1.93	1.65	1.93	2.77	3.16	2.77	3.16	3	3.35			3.68	4.11				
50	2	60.3	1.65	1.93	1.65	2.42	2.77	3.99	2.77	3.99	3.5	4.9			3.91	5.52				
65	2 1/2	73	2.11	3.75	2.11	3.75	3.05	5.34	3.05	5.34	3.5	6			5.16	8.77				
80	3	88.9	2.11	4.59	2.11	4.59	3.05	6.56	3.05	6.56	4	8.37			5.49	11.47				
90	3 1/2	101.6	2.11	5.25	2.11	5.25	3.05	7.53	3.05	7.53	4	9.62			5.74	13.78				
100	4	114.3	2.11	5.93	2.11	5.93	3.05	8.5	3.05	8.5	4.5	12.18			6.02	6.32				
125	5	141.3	2.77	9.61	2.77	9.61	3.4	11.74	3.43	11.74	5	16.8			6.55	2210				
150	6	168.3	2.77	11.47	2.77	11.47	3.4	14.04	3.43	14.04	5.5	22.08			7.11	28.69				
200	8	219.1	2.77	15	2.77	15	3.76	20.77	3.76	20.27	6.35	33.82	7.04	37.38	8.18	43.2			10.81	53.9
250	10	273.1	3.4	22.95	3.4	22.95	4.19	28.2	4.19	28.2	6.35	42.41	7.8	51.81	9.27	61.22			12.2	82.8
300	12	323.9	3.96	31.72	4.19	33.6	4.57	36.54	4.57	36.54	6.35	50.48	8.38	66.2	9.53	75.01	10.31	80.94	14.27	110.62
350	14	355.6	3.96	34.86			4.78	41.99	6.35	55.53	7.92	68.95	9.53	82.58	9.53	82.58	11.13	96	15.06	128.42
400	16	406.4	4.19	42.2			4.78	48.07	6.35	63.61	7.92	79.03	9.53	94.7	9.53	94.7	12.7	125.2	16.66	162.59
450	18	457.2	4.19	47.46			4.78	54.15	6.35	71.69	7.92	89.1	11.13	124.32	9.53	106.83	14.27	158.27	19.05	209
500	2C	508	4.78	60.23			5.54	69.7	6.35	79.76	9.53	118.93	12.7	157.51	9.53	118.9	15.06	185.89	2062	251.65
550	22	558.8	4.78	65.95			5.54	76.75	6.35	87.84	9.53	131.07	12.7	173.66	9.53	131.07	15.88	216.04	22.23	298.55
600	24	609.6	5.54	83.8			6.35	95.92	6.35	95.92	9.53	143.2	14.27	212.72	9.53	143.2	17.45	258.74	24.59	360.21
650	26	660.4							7.92	129.4	12.7	205.97			9.53	155.32				
700	28	711.2							7.92	139.47	12.7	222.13	15.88	276.48	9.53	167.44				
750	3C	762	6.35	120.15			7.92	149.55	7.92	149.55	12.7	238.28	15.88	296.68	9.53	179.56				
800	32	812.8							7.92	159.62	12.7	254.44	15.88	316.88	9.53	191.69	17.48	348.11		
850	34	863.6							7.92	169.64	12.7	270.5	15.88	336.96	9.53	203.74	17.48	370.22		
900	36	914.4							7.92	179.77	12.7	286.75	15.88	357.28	9.53	215.93	19.05	427.09		

Stainless steel pipe Type	Sizes (in inches)	OD (in mm)	SS pipe Wall Thickness (in mm)	Stainless steel pipe WT (in lbs/ft)	Stainless steel pipe WT (in kg/m)
304-125-405-40S	1/8	0.405 10.287	0.068 1.7272	0.245	0.36460018
304-250-540-40S	1/4	0.54 13.716	0.088 2.2352	0.425	0.6324697
304-375-675-40S	3/8	0.675 17.145	0.091 2.3114	0.568	0.845277152
304-500-840-40S	1/2	0.84 21.336	0.109 2.7686	0.851	1.266427564
304-750-1050-40S	3/4	1.05 26.67	0.113 2.8702	1.131	1.683113484
304-1000-1315-40S	1	1.315 33.401	0.133 3.3782	1.68	2.50011552
304-1250-1660-40S	1 1/4	1.66 42.164	0.140 3.556	2.274	3.384084936
304-1500-1900-40S	1 1/2	1.9 48.26	0.145 3.683	2.719	4.046317916
304-2000-2375-40S	2	2.375 60.325	0.154 3.9116	3.654	5.437751256
304-2500-2875-40S	2 1/2	2.875 73.025	0.203 5.1562	5.795	8.62391038
304-3000-3500-40S	3	3 1/2 88.90	0.216 5.4864	7.579	11.278794956
304-3500-4000-40S	3 1/2	4 101.6	0.226 5.7404	9.113	13.561638532
304-4000-4500-40S	4	4.500 114.3	0.237 6.0198	10.794	16.063242216
304-5000-5563-40S	5	5.563 141.3002	0.258 6.5532	14.623	21.761422172
304-6000-6625-40S	6	6.625 168.275	0.280 7.112	18.981	28.246840884
304-8000-8625-40S	8	8.625 219.075	0.322 8.1788	28.564	42.507916496
304-10000-10750-40S	10	10.75 273.05	0.365 9.271	40.498	60.267665672

304-12000-12750-40S	12	12.75 323.85	0.375 9.5250	49.580	73.78317112
---------------------	----	--------------	--------------	--------	-------------

Jindal SS 202 Pipe Price List

Product	Size	Thread Length	Price
202 Stainless Steel	1/8 in	1.5 in	\$2.81 / each
202 Stainless Steel	1/8 in	2 in	\$3.46 / each
202 Stainless Steel	1/8 in	2.5 in	\$3.45 / each
202 Stainless Steel	1/8 in	3 in	\$3.82 / each
202 Stainless Steel	1/8 in	3.5 in	\$3.82 / each
202 Stainless Steel	1/8 in	4 in	\$3.82 / each
202 Stainless Steel	1/8 in	4.5 in	\$4.11 / each
202 Stainless Steel	1/8 in	5 in	\$4.11 / each
202 Stainless Steel	1/8 in	5.5 in	\$4.11 / each
202 Stainless Steel	1/8 in	6 in	\$4.11 / each
202 Stainless Steel	1/8 in	7 in	\$4.35 / each
202 Stainless Steel	1/8 in	8 in	\$4.81 / each
202 Stainless Steel	1/8 in	9 in	\$4.66 / each
202 Stainless Steel	1/8 in	12 in	\$4.81 / each
202 Stainless Steel	1/8 in	Close Thread	\$2.81 / each
202 Stainless Steel	3/8 in	4.5 in	\$4.92 / each
202 Stainless Steel	3/8 in	12 in	\$7.65 / each

Jindal SS 202 Pipe Weight Chart :

Designation of Diameter		O/D	Nominal Wall Thickness													
		DIA	SCH 80 S		SCH 80		SCH 100		SCH 120		SCH. 140		SCH.160		SCH.XXS	
(A)	(B)	Meter MM	Wall Thk	WT Kg/Mtr	Wall Thk	WT Kg/Mtr	Wall Thk	WT Kg/Mtr	Wall Thk	WT Kg/Mtr	Wall Thk	WT Kg/Mtr	Wall Thk	WT Kg/Mtr	Wall Thk	WT Kg/Mtr
6	1/8	10.3	2.41	0.47												
8	1/4	13.7	3.02	0.82												
10	3/8	17.2	3.2	1.12												
15	1/2	21.3	3.73	1.64									4.75	1.97	7.47	2.59
20	3/4	26.7	3.91	2.93									5.54	2.93	7.82	3.69
25	1	33.4	4.55	3.29									6.35	4.3	9.09	5.53
32	1 1/4	24.2	4.85	4.53									6.35	5.69	9.7	7.88
40	1 1/2	48.3	5.08	5.49									7.14	7.35	10.16	9.69
50	2	60.3	5.54	7.6									8.71	11.26	11.07	13.65
65	2 1/2	73	7.01	11.59									9.53	15.15	14.02	20.72
80	3	88.9	7.62	15.51									11.13	21.67	15.24	28.11
90	3 1/2	101.6	8.08	18.92											16.15	34.56
100	4	114.3	8.56	22.66					11.13	28.75			13.49	34.05	17.12	41.66
125	5	141.3	9.53	31.44					12.7	40.9			15.88	49.87	19.05	58.31
150	6	168.3	10.97	43.21					14.27	55.03			18.24	68.53	21.95	79.1
200	8	219.1	12.7	65.63			15.06	76.93	18.24	91.73	20.62	102.47	23.01	112.97	22.23	108
250	10	273.1	12.7	82.8	15.06	97.27	18.24	116.38	21.41	134.9	25.4	157.51	28.58	174.95	25.4	155.5
300	12	323.9	12.7	98.95	17.45	133.88	21.41	162.14	25.4	189.82	28.58	211.31	33.32	242.4	25.4	189.82
350	14	355.6	12.7	109.04	19.05	160.54	23.8	197.74	27.76	227.88	31.75	257.47	35.71	286.04		
400	16	406.4	12.7	125.2	21.41	206.4	26.19	249.34	30.94	290.88	36.53	338.32	40.46	370.74		
450	18	457.2	12.7	141.35	23.8	258.29	29.36	314.54	34.93	369.34	39.67	414.74	45.24	466.67		
500	2C	508	12.7	157.51	26.19	315.97	32.54	387.41	38.1	448.3	44.45	515.94	49.99	573.31		
550	22	558.8	12.7	173.66	28.57	379.7	34.92	457.83	41.27	535.17	47.62	609.3	53.97	682.57		
600	24	609.6	12.7	189.82	30.94	448.3	38.89	555.76	46.02	649.44	52.37	730.72	59.51	819.7		
650	26	660.4	12.7	205.97			(24.66D-t) t 1000 Wt/pam + formula WT Stainless Steel Pipe OD (mm) - W.T. (mm) XW.T. (mm) X 0.02466 = Kg. per mtr.									
700	28	711.2			12.7	222.13										
750	3C	762			12.7	238.28										
800	32	812.8			12.7	254.44										
850	34	863.6			12.7	270.5										
900	36	914.4			12.7	286.75										

www.simplexsteel.com