

Special Metals and Haynes USA Pipe Price List :

Nickel Alloy Pipe Price List :

Inside Diameter	Outside Diameter	Wall Thickness	Maximum Pressure	Price
0.055 in	1/8 in	0.035 in	9087 psi at 72 Degrees F	\$162.18
0.152 in	1/4 in	0.049 in	6918 psi at 72 Degrees F	\$170.00
0.18 in	1/4 in	0.035 in	4941 psi at 72 Degrees F	\$126.50
0.277 in	3/8 in	0.049 in	4318 psi at 72 Degrees F	\$272.00
0.305 in	3/8 in	0.035 in	3084 psi at 72 Degrees F	\$194.00
0.37 in	1/2 in	0.065 in	4223 psi at 72 Degrees F	\$342.00
0.402 in	1/2 in	0.049 in	3184 psi at 72 Degrees F	\$246.00
0.43 in	1/2 in	0.035 in	2274 psi at 72 Degrees F	\$200.00
0.62 in	3/4 in	0.065 in	2894 psi at 72 Degrees F	\$588.00
0.834 in	1 in	0.083 in	2779 psi at 72 Degrees F	\$1,734.00
0.87 in	1 in	0.065 in	2176 psi at 72 Degrees F	\$701.76

Inconel 600 Pipe Price :

Inside Diameter	Outside Diameter	Wall Thickness	Maximum Pressure	Price
0.37 in	1/2 in	0.065 in	4223 psi at 72 Degrees F	\$342.00
0.402 in	1/2 in	0.049 in	3184 psi at 72 Degrees F	\$246.00
0.43 in	1/2 in	0.035 in	2274 psi at 72 Degrees F	\$200.00
0.834 in	1 in	0.083 in	2779 psi at 72 Degrees F	\$1,734.00
0.152 in	1/4 in	0.049 in	6918 psi at 72 Degrees F	\$170.00
0.87 in	1 in	0.065 in	2176 psi at 72 Degrees F	\$701.76
0.18 in	1/4 in	0.035 in	4941 psi at 72 Degrees F	\$126.50
0.277 in	3/8 in	0.049 in	4318 psi at 72 Degrees F	\$272.00
0.305 in	3/8 in	0.035 in	3084 psi at 72 Degrees F	\$194.00

Inconel 625 Pipe Price :

Inside Diameter	Outside Diameter	Wall Thickness	Maximum Pressure	Price per Each
0.055	1/8	0.035	9087 psi at 72° F	\$162.18
0.152	1/4	0.049	6918 psi at 72° F	\$170.00
0.18	1/4	0.035	4941 psi at 72° F	\$126.50
0.277	3/8	0.049	4318 psi at 72° F	\$272.00
0.305	3/8	0.035	3084 psi at 72° F	\$194.00
0.37	1/2	0.065	4223 psi at 72° F	\$342.00
0.402	1/2	0.049	3184 psi at 72° F	\$246.00

0.43	1/2	0.035	2274 psi at 72° F	\$200.00
0.62	3/4	0.065	2894 psi at 72° F	\$588.00
0.834	1	0.083	2779 psi at 72° F	\$1,734.00

Hastelloy C276 Pipe Price in India :

Size	US \$	Qatar (Riyal)Qatar	Singapore (SGD)	Philippines (peso)	India (INR)	Malaysian Ringgit)	UAE (Dirham)
1/2 Nb X Sch 40s X 4 Lengt	173.88	633.09	232.09	8364.59	12,832	708.86	662.12
2nbx Sch 40s X 600 Mm Long	1520.61	5536.55	2029.71	73150.40	112,219	6199.16	5790.87
3nb X Sch 80 Length3.55 Mtr Long	3360.49	12235.53	4485.58	161659.13	247,999	13699.87	12797.56

Hastelloy C22 Pipe Price Range :

Inside Diameter	Outside Diameter	Wall Thickness	Maximum Pressure	Price per Each
0.055 in	1/8 in	0.035 in	9087 psi at 72° F	\$162.18
0.152 in	1/4 in	0.049 in	6918 psi at 72° F	\$170.00
0.18 in	1/4 in	0.035 in	4941 psi at 72° F	\$126.50
0.277 in	3/8 in	0.049 in	4318 psi at 72° F	\$272.00
0.305 in	3/8 in	0.035 in	3084 psi at 72° F	\$194.00
0.37 in	1/2 in	0.065 in	4223 psi at 72° F	\$342.00
0.402 in	1/2 in	0.049 in	3184 psi at 72° F	\$246.00

Monel 400 Pipe Price in Mumbai :

Size	US \$	Qatar (Riyal)	Singapore (SGD)	Philippines (peso)	India (INR)	Malaysian Ringgit	UAE (Dirham)
1 X 3/4 Xsch- 80s X Length 3 1/2 Inch	133.95	487.70	178.79	6443.58	9,885	546.06	510.80
3/4 X Sch 805 X1 Mtr Long	156.63	570.29	209.07	7534.78	11,559	638.54	597.30
1/4 Sch 40 (4 To 7 Mtr Long)	30.68	111.70	40.95	1475.80	2,264	125.07	116.99
1 1/2 Sch 40	200.34	729.45	267.42	9637.66	14,785	816.75	764.00

Available Forms and Sizes :

Billet and Bar

Diameters 12.7 mm - 2380 mm (0.500" - 15") and weights up to ca. 9,000 kg (20,000 lb).

Round-cornered Squares

102 mm to 356 mm (4" to 14") across flats and weights up to approx. 9,000 kg (20,000 lb).

Cold-drawn Rounds

Diameters 13 mm to 102 mm (0.5" to 4.0") and lengths up to approx. 10 m (32 ft).

Cold-drawn Hexagons

13 mm to 101.6 mm (0.5" to 4.00") across flats and lengths up to ca. 6.0 m (20 ft).

Cold-drawn Wire

Diameters from 0.8 mm to 15 mm (0.2" to 0.59") available in coil, on reels and in "pay-off packs."

Extruded Profiles

Rectangular and shaped sections, including near-net profiles, to meet design demands.

Alloys

- NIMONIC® Ni-Cr and Ni-Cr-Co alloys.
- NILO® Ni-Fe alloys.
- Commercial and high purity Nickel grades.
- MONEL® Ni-Cu alloys.
- Specialty grades such as 25-6MO, C-276, 686, 22, HX, 020.
- INCONEL® Ni-Cr-Fe alloys.
- INCOLOY® Fe-Ni-Cr alloys.

Dimensions - Special Metals Huntington Production

- Cold Rolled Sheet: thickness from 0.38 - 6.4 mm (0.015 - 0.25"), and widths to 1219 mm (48").
- Cold Rolled Strip: thickness from 0.38 - 3.2 mm (0.015 - 0.125"), and widths down to 19 mm (0.75").
- Hot Rolled Plate: thickness from 4.76 - 102 mm (0.187 - 4"), and widths from 1220 - 2500 mm (48 - 98").

Foil

Special Metals manufactures electroformed nickel foil products using a proprietary, continuous electrode position process. High-purity nickel foil is used to produce battery mesh, heating elements, gaskets, etc. Thickness range is 6 - 150 microns.